



Standard Name: BS6088

Original Country: U.K



PROPERTIES:

Item	Standard
Appearance	Outer clean and transparent, without visible bubble and impurity.
Density	2.4-2.6 g/cm ³
Proportion of Ball Fleck	>70%
Refractive Index	1.5 Min.
Composition	SiO ₂ content>72%

Particle size statistics: Retain ratio

Particle size distribution :

Type	Diameter(μm)	% Retained
TYPE A	>1180	0-3%
	1180-850	5-20%
	850-425	65-95%
	<425	0-10%
TYPE B	>850	0-5%
	850-600	5-20%
	600-300	30-75%
	300-180	10-30%
	<180	0-10%

Function:

Type A Premix

Type B Drop on