

追求极致 | 专业 · 专注 · 专心

Pursue the extreme | Professional · Focused · Attentive



智能交通一体化



深圳市路明交通器材有限公司
Shenzhen Luming Traffic Equipment Co.,Ltd



扫一扫，关注我们

地址：深圳市龙华区观澜街道竹村福庭工业区1栋3楼

电话:0755-2770 8545 传真:0755-2770 1581

阿里巴巴:szlm888.1688.com <https://szlmjt.en.alibaba.com>

网址(website):<http://www.szlmjt.com> E-mail:639711402@qq.com

深圳市路明交通器材有限公司
Shenzhen Luming Traffic Equipment Co.,Ltd

Company Profile

企业简介

深圳市路明交通器材有限公司创建于2006年，注册资本2020万元。公司位于深圳市龙华新区观澜竹村福庭工业区1栋3楼，是一家专业从事道路交通安全设施产品的研发、生产和销售及建筑工程施工安装于一体的国家高新技术企业，创新型中小企业。

公司已通过ISO9001质量管理体系认证，产品并取得了各种CE及其它认证证书；符合国家交通检测标准。车间占地面积约2000平方米，公司自主创新研发30多项专利，独家开发产品商标“LLM”和“ROADREFLEX”，产品主营：道路交通标志牌、太阳能道钉、道钉、轮廓标、太阳能交通标志牌、防撞设施、太阳能黄闪灯、太阳能爆闪灯、无线同步产品、活动防护栏，等系列产品，100多个品种，产品远销售到美国、欧洲、东南亚、澳大利亚、非洲、新西兰、等50多个国家，能够个性化为客户定制产品的需求。

自成立以来公司秉承“以质量求生存，以诚信谋发展”的经营理念，为客户提供优质的产品和快速服务。我们坚持不懈创新，用心服务，携手合作，共同成长！

Shenzhen Luming Traffic Equipment Co., Ltd. was founded in 2006 with a registered capital of 20.2 million yuan. It is a national high-tech enterprise, which is specialized in the research and development, production and sales of road traffic safety facilities, construction and installation. The company has passed ISO9001 quality management system certification, obtained a variety of CE and other certificates, which can meet the national traffic testing standards. The workshop covers an area of about 2000 square meters. The company independently innovates and develops more than 30 patents, and exclusively develops the product trademarks "LLM" and "ROADREFLEX". Our main products are: Road traffic signs, solar road stud, reflective road stud, delineator, solar traffic signs, anti-collision facilities, solar yellow flashing light, solar strobe light, wireless synchronization products, activity guardrail, and other series of products, more than 100 varieties products sold to the United States, Europe, Southeast Asia, Australia, Africa, New Zealand, and other more than 50 countries. We have ability to personalize and customize products for customers. Since its establishment, the company adhering to the "quality of survival, integrity and development" business philosophy, to provide customers with quality products and fast service. We persist in innovation, heart service, work together and common growth!



总经理：宋振跃



公司前台

Enterprise qualification 企业资质



Development History 发展历程

◎ 2023
智慧交通升级
实现企业迅速发展

◎ 2018-2022
国际化突飞猛进
荣获国家高新技术企业

◎ 2014-2017
壮大期
规模进一步扩大,由大部分
外发加工转为自主研发生产
开拓外销出口业务
通过ISO9001认证

◎ 2006-2009
萌芽期
路明交通奠定坚实发展基础





生产车间 Production shop



办公室 Office



注塑车间 Injection molding department



测试台 Test bench



老化室 Aging chamber



磨床设备 Grinding machine equipment



折弯设备 Bending equipment



激光切割设备 Laser cutting equipment



数控设备 Numerical control equipment



数码打印设备 Digital printing equipment



太阳能道钉,是道钉的一种,沿道路路面设置的、用于夜间或雨雾天气下,指示道路前进方向,由逆反射材料、壳体、太阳能板、LED、控制器件组成,具有主动发光和被动反光性能的视觉诱导设施,通常同标线结合使用。

Solar powered road studs are a type of road studs installed along the road surface, used to indicate the direction of the road at night or in rainy and foggy weather. They are composed of retroreflective materials, shells, solar panels, LEDs, and controller components, and have active and passive reflective performance as visual guidance devices. They are usually used in conjunction with markings.




名称: 太阳能道钉
型号: LLM-LB-01
Name: Solar road stud
Model number: LLM-LB-01



名称: 铸铝太阳能道钉(带钉)
型号: LLM-LB-03
Name: Cast aluminum solar road stud (with shank)
Model number: LLM-LB-03



名称: 铸铝太阳能道钉(带钉)
型号: LLM-LB-04
Name: Cast aluminum solar road stud (with shank)
Model number: LLM-LB-04



名称: 铸铝太阳能道钉
型号: LLM-LB-05
Name: Cast aluminum solar road stud
Model number: LLM-LB-05



名称: 马蹄形太阳能道钉
型号: LLM-LB-08
Name: Horseshoe shaped solar road stud
Model number: LLM-LB-08




名称: 塑料圆形太阳能道钉
型号: LLM-LB-09
Name: Round plastic solar road stud
Model number: LLM-LB-09



名称: 地埋式太阳能道钉
型号: LLM-LB-11
Name: Underground solar road stud
Model number: LLM-LB-11



名称: 塑料水晶太阳能道钉
型号: LLM-LB-12
Name: Plastic Crystal Solar road stud
Model number: LLM-LB-12



名称: 塑料圆形太阳能道钉
型号: LLM-LB-13
Name: Round plastic solar road stud
Model number: LLM-LB-13



名称: 太阳能月牙道钉
型号: LLM-LB-15
Name: Solar Crescent road stud
Model number: LLM-LB-15




名称: 太阳能柱帽灯
型号: LLM-LB-19
Name: Solar road stud
Model number: LLM-LB-19



名称: 地埋式太阳能道钉
型号: LLM-LB-28
Name: Underground solar road stud
Model number: LLM-LB-28



名称: 地埋式太阳能道钉
型号: LLM-LB-29
Name: Underground solar road stud
Model number: LLM-LB-29




名称: 太阳能长方形道钉
型号: LLM-LB-30
Name: Rectangle solar road stud
Model number: LLM-LB-30



名称: 冰眼太阳能道钉
型号: LLM-LB-ICE
Name: Ice eye solar road stud
Model number: LLM-LB-ICE



名称: 地埋式太阳能道钉
型号: LLM-LB-11A
Name: Underground solar road stud
Model number: LLM-LB-11A



名称: 地埋式太阳能道钉
型号: LLM-LB-31
Name: Underground solar road stud
Model number: LLM-LB-31



名称: 地埋式太阳能道钉
型号: LLM-LB-32
Name: Underground solar road stud
Model number: LLM-LB-32



名称: 国标塑料道钉
型号: LLM-LB-14
Name: National standard plastic road stud
Model number: LLM-LB-14



名称: 铝合金43珠道钉(带钉)
型号: LLM-LB-16
Name: Aluminum Alloy 43 beads road stud (with shank)
Model number: LLM-LB-16



名称: 铸铝双面道钉(带钉)
型号: LLM-LB-17
Name: Cast aluminum double-sided road stud (with shank)
Model number: LLM-LB-17



名称: 全铝合金高品质道钉(带钉)
型号: LLM-LB-18
Name: All aluminum alloy high quality road stud (with shank)
Model number: LLM-LB-18



名称: 塑料道钉
型号: LLM-LB-20
Name: Plastic road stud
Model number: LLM-LB-20



名称: 塑料43珠道钉(带钉)
型号: LLM-LB-21
Name: Plastic 43 beads road stud (with shank)
Model number: LLM-LB-21



名称: 铝合金28珠道钉(带钉)
型号: LLM-LB-22
Name: Aluminum alloy 28 beads road stud (with shank)
Model number: LLM-LB-22



名称: 钢化玻璃道钉
型号: LLM-LB-24
Name: Tempered glass road stud
Model number: LLM-LB-24



名称: 铝合金21珠道钉(带钉)
型号: LLM-LB-25
Name: Aluminum alloy 21 beads road stud (with shank)
Model number: LLM-LB-25



名称: 不锈钢盲人道钉
型号: LLM-LB-26
Name: Anti-slip tactile stud
Model number: LLM-LB-26



名称: 塑料长方形轮廓标
型号: LLM-LKB-01
Name: Plastic rectangle delineator
Model number: LLM-LKB-01



名称: 铝支架长方形轮廓标
型号: LLM-LKB-02
Name: Aluminum bracket rectangle delineator
Model number: LLM-LKB-02



名称: 铝支架长方形轮廓标
型号: LLM-LKB-03
Name: Aluminum bracket rectangle delineator
Model number: LLM-LKB-03



名称: 铝支架轮廓标
型号: LLM-LKB-05
Name: Aluminum bracket delineator
Model number: LLM-LKB-05



名称: 梯形可反弹轮廓标
型号: LLM-LKB-06
Name: Trapezoid reboundable delineator
Model number: LLM-LKB-06



名称: 158珠梯形轮廓标
型号: LLM-LKB-07
Name: 158 beads trapezoid delineator
Model number: LLM-LKB-07



名称: 护栏轮廓标
型号: LLM-LKB-08
Name: Guardrail delineator
Model number: LLM-LKB-08



名称: 圆形可反弹轮廓标
型号: LLM-LKB-09
Name: Round reboundable delineator
Model number: LLM-LKB-09



名称: 钢支架百米牌
型号: LLM-LKB-11
Name: Steel bracket 100 meters sign
Model number: LLM-LKB-11




太阳能护栏轮廓标效果图

Solar guardrail delineator

太阳能柱式轮廓标由柱体合反射材料组成,由逆反射材料、支架、太阳能板、LED、控制器和连接件组成。柱体为圆角的三角断面,顶部斜向行车道。轮廓标的柱身为白色,在柱体上部应有250mm长的一圈黑色标记,黑色标记的中间设有180mm × 40mm的逆反射材料,逆反射材料不宜脱落。

The solar post delineator is composed of body and reflective material. It consists of reverse reflector material, bracket, solar panel, LED, controller and connector. The body is a triangular section with rounded corners, and the top is oblique to the driveway.



名称: 梯形太阳能轮廓标
型号: LLM-LKB-18
Name: Trapezoidal solar delineator
Model number: LLM-LKB-18



名称: 太阳能柱帽灯
型号: LLM-LKB-13
Name: Solar column cap lamp
Model number: LLM-LKB-13



名称: 长方形太阳能轮廓标
型号: LLM-LKB-14
Name: Rectangle solar delineator
Model number: LLM-LKB-14



名称: 太阳能轮廓标
型号: LLM-LKB-15
Name: Solar delineator
Model number: LLM-LKB-15



名称: 太阳能护栏轮廓标
型号: LLM-LKB-17
Name: Solar guardrail delineator
Model number: LLM-LKB-17



名称: 单面6组爆闪灯
型号: TYNBZP-01
Name: Single side 6 groups flash lights
Model number: TYNBZP-01



名称: 太阳能二组红蓝爆闪灯
型号: TYNBZP-02
Name: Solar two groups of red and blue flash lights
Model number: TYNBZP-02



名称: 太阳能双面四组爆闪灯
型号: TYNBZP-03
Name: Solar double-sided four groups flashing lights
Model number: TYNBZP-03



名称: 太阳能爆闪灯
型号: TYNBZP-04
Name: Solar explosion flashing light
Model number: TYNBZP-04



名称: 太阳能一体爆闪灯
型号: TYNBZP-05
Name: Solar integrated flash light
Model number: TYNBZP-05



名称: 太阳能黄闪慢字
型号: TYNBZP-06
Name: Solar yellow flashing light with slow
Model number: TYNBZP-06



名称: 太阳能双面黄闪灯(铁壳)
型号: TYNBZP-07
Name: Solar two-sided yellow flashing lights (Metal)
Model number: TYNBZP-07



名称: 太阳能分道警示灯
型号: TYNBZP-08
Name: Solar Lane Warning light
Model number: TYNBZP-08



名称: 太阳能黄闪灯
型号: TYNBZP-09
Name: Solar yellow flashing light
Model number: TYNBZP-09




太阳能可移动信号灯

型号: KYD-01
Model number: KYD-01



太阳能可移动信号灯

型号: KYD-02
Model number: KYD-02



型号: KYD-03
Model number: KYD-03




型号: JTXHD-01
Model number: JTXHD-01



型号: JTXHD-02
Model number: JTXHD-02



型号: JTXHD-03
Model number: JTXHD-03



型号: JTXHD-04
Model number: JTXHD-04



型号: JTXHD-05
Model number: JTXHD-05



型号: JTXHD-06
Model number: JTXHD-06



智能道钉效果图
Smart road stud




型号: JSBZ-01
Model number: JSBZ-01




型号: JSBZ-02
Model number: JSBZ-02




型号: JSBZ-06
Model number: JSBZ-06



型号: JSBZ-03
Model number: JSBZ-03



型号: JSBZ-04
Model number: JSBZ-04



型号: JSBZ-05
Model number: JSBZ-05

名称: 红绿灯智能道钉



名称：太阳能警示标志牌
型号：TYNBZP-10
Name: Solar warning sign
Model number: TYNBZP-10



名称：太阳能警察执勤牌
型号：TYNBZP-11
Name: Solar police on duty sign
Model number: TYNBZP-11



名称：太阳能前方施工标志牌
型号：TYNBZP-12
Name: Solar front construction sign
Model number: TYNBZP-12



名称：太阳能禁止调头标志牌
型号：TYNBZP-13
Name: Solar No U-turn sign
Model number: TYNBZP-13



名称：太阳能人行标志牌
型号：TYNBZP-14
Name: Solar pedestrian sign
Model number: TYNBZP-14



名称：太阳能STOP标志牌
型号：TYNBZP-15
Name: Solar STOP sign
Model number: TYNBZP-15



名称：太阳能学校标志牌
型号：TYNBZP-16
Name: Solar school sign
Model number: TYNBZP-16



名称：太阳能人行标志牌
型号：TYNBZP-17
Name: Solar pedestrian sign
Model number: TYNBZP-17



名称：太阳能慢行标志牌
型号：TYNBZP-18
Name: Solar slow Sign
Model number: TYNBZP-18



名称：太阳能人行标志牌
型号：TYNBZP-19
Name: Solar pedestrian sign
Model number: TYNBZP-19



名称：太阳能指示标志牌
型号：TYNBZP-20
Name: Solar indicator sign
Model number: TYNBZP-20



名称：太阳能限速标志牌
型号：TYNBZP-21
Name: Solar speed limit sign
Model number: TYNBZP-21



名称：太阳能限速标志牌
型号：TYNBZP-22
Name: Solar speed limit sign
Model number: TYNBZP-22



名称：太阳能分道器
型号：TYNBZP-23
Name: Solar lane divider sign
Model number: TYNBZP-23



名称：太阳能限高标志牌
型号：TYNBZP-24
Name: Solar height Limit sign
Model number: TYNBZP-24



名称：太阳能诱导标志牌
型号：TYNBZP-25
Name: Solar guidance sign
Model number: TYNBZP-25



LED透光标志牌光线穿透力强,可视距离远,可满足各种恶劣气候条件,有效降低交通事故发生;自带光源,led主动发光标志,照顾所有交通主体;低能耗、高效率、安全方便;能源应用广泛,led半透明主动发光标志,维护简单。


Led transparent sign have strong light penetration and long visual distance, which can meet all kinds of bad weather conditions, reduce traffic accident effectively; with its own light source, the sign can take care of the main body of the traffic; Low energy consumption, high efficiency, safety and convenience, widely used energy, and easy to maintain.




LED透光标志牌效果图
Led transparent sign




名称: LED透光标志牌
型号: TYNBZP-25
Name: LED transparent sign
Model number: TYNBZP-25



名称: 太阳能施工标牌
型号: TYNBZP-26
Name: Solar construction sign
Model number: TYNBZP-26




名称: 太阳能施工标牌
型号: TYNBZP-27
Name: Solar construction sign
Model number: TYNBZP-27



名称: 太阳能施工标牌
型号: TYNBZP-28
Name: Solar construction sign
Model number: TYNBZP-28



名称: 太阳能前方事故标牌
型号: TYNBZP-29
Name: Solar front accident sign
Model number: TYNBZP-29



名称: 太阳能施工标牌
型号: TYNBZP-30
Name: Solar construction sign
Model number: TYNBZP-30



名称: 太阳能施工标牌
型号: TYNBZP-31
Name: Solar construction sign
Model number: TYNBZP-31



名称: 太阳能警示桩
型号: TYNBZP-32
Name: Solar warning pile
Model number: TYNBZP-32



名称: 太阳能雷达测速仪
型号: TYNBZP-33
Name: solar radar velocimeter
Model number: TYNBZP-33



名称: 预警哨兵行人探测仪器
型号: TYNBZP-34
Name: Early warning sentinel pedestrian
detection instrument
Model number: TYNBZP-34



太阳能同步轮廓标
Solar synchronous delineator



太阳能同步埋入式道钉
Solar synchronous underground road stud



太阳能同步黄闪灯
Solar synchronous yellow flashing light




太阳能同步标志牌
Solar synchronous sign



太阳能同步护栏灯
Solar synchronous guardrail light




太阳能同步诱导标
Solar synchronous guidance sign



由于公路隧道属于封闭空间,交通空间有限、空气不易流通,原来的靠反光的交通标志,在隧道内很快就会因空气油污,而失去反光效果,为了更好的指示隧道内的交通安全,隧道电光标志就是在这样的背景下产生的。

As the highway tunnel belongs to the closed space, the traffic space is limited, and the air is not easy to flow, the original traffic signs is easily to lose the reflective effect by the air oil pollution in tunnel, in order to better indicate the traffic safety in the tunnel, the tunnel electro-optic signs are produced.




名称: 灭火器标志
型号: LLM-SDYDB-01
Name: Fire extinguisher sign
Model number: LLM-SDYDB-01



名称: 紧急横向行车标志
型号: LLM-SDYDB-02
Name: Emergency lateral running traffic sign
Model number: LLM-SDYDB-02



名称: 紧急横向逃生标志
型号: LLM-SDYDB-03
Name: Emergency lateral escape sign
Model number: LLM-SDYDB-03



名称: 紧急停车标志
型号: LLM-SDYDB-04
Name: Emergency stop sign
Model number: LLM-SDYDB-04



名称: 紧急电话标志
型号: LLM-SDYDB-06
Name: Emergency telephone sign
Model number: LLM-SDYDB-06



名称: 紧急两侧逃生标志
型号: LLM-SDYDB-07
Name: Emergency two-sided escape sign
Model number: LLM-SDYDB-07



主要技术指标:
发光元件: LED
发光强度: 大于6000mcd
闪光频率: 70-300次/分钟 (可调)
运用方式: 同步闪烁或长亮
发光颜色: 黄、红、白、蓝、绿
工作电压: DC24V、DC12V、220V
可视距离500米, 警示效果十分明显。
有源道钉的能耗极小, 可采用交流电或太阳能供电系统。
由有源道钉、控制箱、供电电缆 (太阳能电源) 和控制电缆等组成视线诱导系统。

Main technical indicators:
Luminous element: LED
Luminous intensity: greater than 6000mcd
Flash frequency: 70-300 times/min (adjustable)
Application: synchronous flashing or constant light
Luminous color: Yellow, red, white, blue, green
Operating voltage: DC24V, DC12V, 220V visual distance of 500 meters, warning effect is very obvious. Wired road stud consume very little energy and can be powered by AC or solar power.
The line of sight induction system consists of active spike, control box, power supply cable (solar power) and control cable.

有源轮廓标:

有源道路轮廓标是一种清晰醒目的闪烁发光警示标志。连续铺设该路标可形成光学车道, 清晰地构画道路轮廓, 尤其在雨雾天和夜间能高亮度显示路况且路标闪烁发光, 起到明显的导向警示作用。

Wired guardrail delineator:

Wired guardrail delineator is a clear and eye-catching flashing light warning sign. Continuous installation of this road sign can form an optical lane, clearly depicting the outline of the road. Especially in rainy and foggy days and at night, it can display the road condition with high brightness and the road sign flashing light has an obvious guiding and warning effect.

主要技术指标:

发光原件: LED
发光强度: 大于6000mcd
闪光频率: 70-300次/分钟 (可调)
运作方式: 同步闪烁或长亮
发光颜色: 黄、红、白、蓝、绿
工作电压: DC24V、DC12V、220V可
视距离500米, 警示效果十分明显。

Main technical indicators:

Luminous original: LED
Luminous intensity: greater than 6000mcd
Flash frequency: 70-300 times/min (adjustable)
Operation mode: synchronous flashing or constant light
Luminous color: Yellow, red, white, blue, green
Working voltage: DC24V, DC12V, 220VVisual distance of 500 meters, the warning effect is very obvious.



名称: 圆形有源道钉
型号: LLM-YDB-01
Name: Round wired road stud
Model number: LLM-YDB-01



名称: 隧道铝合金有源道钉
型号: LLM-YDB-02(AI)
Name: Tunnel aluminum alloy wired road stud
Model number: LLM-YDB-02(AI)



名称: 塑料有源道钉
型号: LLM-YDB-02
Name: Plastic wired road stud
Model number: LLM-YDB-02



名称: 铸铝有源道钉
型号: LLM-YDB-03
Name: Cast aluminum wired road stud
Model number: LLM-YDB-03



名称: 梯形有源轮廓标
型号: LLM-YDB-04
Name: Trapezoidal wired delineator
Model number: LLM-YDB-04



名称: 长方形有源轮廓标
型号: LLM-YDB-05
Name: Rectangle wired delineator
Model number: LLM-YDB-05



名称: 铸铝有源道钉
型号: LLM-YDB-06
Name: Cast aluminum wired road stud
Model number: LLM-YDB-06



名称: 诱导标控制器
型号: LLM-SDYDB-07
Name: Delineator controller
Model number: LLM-SDYDB-07



名称: TPU警示柱
型号: LLM-FTLZ-01
尺寸: $\phi 80\text{mm} \times 300\text{mm}$
Name: TPU warning column
Model number: LLM-FTLZ-01
Size: $\phi 80\text{mm} \times 300\text{mm}$



名称: TPU警示柱
型号: LLM-FTLZ-02
尺寸: $\phi 80\text{mm} \times 480\text{mm}$
Name: TPU warning column
Model number: LLM-FTLZ-02
Size: $\phi 80\text{mm} \times 480\text{mm}$



名称: TPU警示柱
型号: LLM-FTLZ-03
尺寸: $\phi 80\text{mm} \times 500\text{mm}$
Name: TPU warning column
Model number: LLM-FTLZ-03
Size: $\phi 80\text{mm} \times 500\text{mm}$



名称: TPU警示柱
型号: LLM-FTLZ-05
尺寸: $\phi 80\text{mm} \times 750\text{mm}$
Name: TPU warning column
Model number: LLM-FTLZ-05
Size: $\phi 80\text{mm} \times 750\text{mm}$



名称: PE警示柱
型号: LLM-FTLZ-06
尺寸: $\phi 100\text{mm} \times 1100\text{mm}$
Name: PE warning column
Model number: LLM-FTLZ-06
Size: $\phi 100\text{mm} \times 1100\text{mm}$



名称: TPU警示柱
型号: LLM-FTLZ-04
尺寸: $\phi 80\text{mm} \times 750\text{mm}$
Name: TPU warning column
Model number: LLM-FTLZ-04
Size: $\phi 80\text{mm} \times 750\text{mm}$



名称: 柱式轮廓标
型号: LLM-LKB-12
尺寸: $1250\text{mm} \times 120\text{mm}$
Name: Column profile mark
Model number: LLM-LKB-12
Size: $1250\text{mm} \times 120\text{mm}$




名称: 片式反弹式轮廓标
型号: LLM-LKB-13
尺寸: $1100\text{mm} \times 100\text{mm}$
Name: Chip rebound type contour mark
Model number: LLM-LKB-13
Size: $1100\text{mm} \times 100\text{mm}$



指示标志

Indicator Signs



禁令标志 Ban Signs



规格: 600mm/800mm/1000mm/1200mm

标牌材料：国标铝板

接受定制

Specification: 600mm/800mm/1000mm/1200mm

Sign material: national standard aluminum plate

Accept the customization of national standards



警告标志 Warning Signs



规格: 700mm/900mm/1100mm
标牌材料: 国标铝板
接受定制

Specification: 700mm/900mm/1100mm
Sign material: national standard aluminum plate
Accept the customization of national standards

道路施工安全、指示标志 Road Construction Signs




规格: 1200x400mm
标牌材料: 国标铝板
接受定制

Specification: 1200x400mm
Sign material: national standard aluminum plate
Accept the customization of national standards




水马围挡,是城市市政工程和建筑工程文明施工、保证建筑施工安全、维护市容景观的一种全新人性化文明施工的保障设施。

The water-filled barrier is a new humanized and civilized construction guarantee facility for urban municipal engineering and construction engineering civilized construction, to ensure the safety of construction, and maintaining the city landscape.



名称: 水马
型号: LLM-SM-01
Name: Water-filled barrier
Model number: LLM-SM-01



名称: 塑料水马
型号: LLM-SM-02
Name: Plastic water-filled barrier
Model number: LLM-SM-02



名称: 塑料水马围挡
型号: LLM-SM-03
Name: Plastic water-filled barrier
Model number: LLM-SM-03



防撞桶主要设置在公路及城市道路上容易发生汽车与路中固定设施发生碰撞的部位,如:路的转弯处,路中岗亭、收费站及高架路的进出口,停车场、小区、花园、加油站等等,起到隔离作用,防撞桶是用高弹性、高强度的改性塑料制成,当汽车与该设备碰撞时,能有效地减小冲击力,因此,能显著地降低车与人的损伤。

Anti-collision bucket is mainly set on the highway and urban road where it is easy for cars to collide with fixed facilities in the road, such as: Road turns, road booth, toll station and viaduct entrance and exit, parking lot, community, garden, gas station and so on, play the role of isolation, anti-collision bucket is made of high elasticity, high strength modified plastic, when the car and the equipment collision, can effectively reduce the impact force, therefore, can significantly reduce the damage of cars and people.



规格specification:
φ 600xH800mm
φ 800xH800mm
φ 800xH1000mm
φ 920xH950mm
φ 600xH1000mm

玻璃钢防撞桶系列 FRP anti-collision bucket series



名称: 太阳能防撞桶
型号: LLM-FZT-01
Name: Solar anti-collision bucket
Model number: LLM-FZT-01



名称: 玻璃钢防撞桶
型号: LLM-FZT-02
Name: FRP anti-collision bucket
Model number: LLM-FZT-02



名称: 玻璃钢防撞桶
型号: LLM-FZT-03
Name: FRP anti-collision bucket
Model number: LLM-FZT-03



名称: 塑料防撞桶
型号: LLM-FZT-04
Name: Plastic anti-collision bucket
Model number: LLM-FZT-04



橡胶路锥采用橡胶经蒸汽高温硫化整体模压而成,也有PVC,PU等材料的集橡胶的韧性于一身,具有耐老化、耐压、耐摔、轻便耐用等特点。再配以高强反光膜,反光效果好,适用于城市路口车道,人行道,建筑物之间的隔离警示。

The rubber road cone is made of rubber molded by steam vulcanization at high temperature. There are also PVC, PU and other materials that combine the toughness of rubber. It has the characteristics of aging resistance, pressure resistance, drop resistance, lightness and durability. Coupled with high-strength reflective film, the reflective effect is good, and it is suitable for urban intersections, sidewalks, and isolation warnings between buildings.



名称: 路锥
型号: LLM-LZ-01
Name: Traffic Cone
Model number: LLM-LZ-01



名称: PVC路锥
型号: LLM-LZ-02
Name: PVC traffic cone
Model number: LLM-LZ-02



名称: 太阳能交通灯
型号: LLM-XHT-01
Name: Solar Traffic lights
Model number: LLM-XHT-01



名称: 交通灯
型号: LLM-XHT-02
Name: Traffic light
Model number: LLM-XHT-02



名称: 交通灯
型号: LLM-XHT-03
Name: Traffic light
Model number: LLM-XHT-03



反光衣也可称作反光背心,反光服。反光衣服款式多品种全文字有警察,交通,路政,协管,保安等。
是采用反光材料镶嵌在衣服或背心主要部位制作而成的用于夜晚或不良天气下的个人安全用品,在室外工作中较好的保护工作人员。

Reflective coat can also be called reflective vests and reflective clothing. Reflective coat has many styles and varieties, and the text includes police, traffic, road administration, co-management, security etc. It is a personal safety product made of reflective material embedded in the main part of the jacket or vest, which is used for night or bad weather, and it can better protect the staff in outdoor work.



名称: 3M车身贴
型号: LLM-3M
Name: 3M body sticker
Model number: LLM-3M



名称: 太阳能路障灯
型号: LLM-AQFH-01
Name: Solar barricade light
Model number: LLM-AQFH-01



名称: 太阳花灯
型号: LLM-AQFH-02
Name: Solar sunflower light
Model number: LLM-AQFH-02



名称: 充电式指挥棒
型号: LLM-AQFH-03
Name: Rechargeable baton
Model number: LLM-AQFH-03



名称: LED反光衣
型号: LLM-AQFH-04
Name: LED reflective clothing
Model number: LLM-AQFH-04



名称: 反光衣
型号: LLM-AQFH-05
Name: Reflective clothing
Model number: LLM-AQFH-05



名称: 普通反光衣
型号: LLM-AQFH-06
Name: Ordinary reflective clothing
Model number: LLM-AQFH-06



名称: 普通反光雨衣
型号: LLM-AQFH-07
Name: Regular reflective raincoat
Model number: LLM-AQFH-07




塑料防眩板效果图

Plastic anti-glare board rendering

- ▲ 样式美观
- ▲ 抗风效果好
- ▲ 防破坏强
- ▲ Beautiful style
- ▲ Good wind resistance
- ▲ Strong damage prevention

防眩板不仅可以阻挡对向行驶车辆的眩光，保证高速公路夜间交通运营的安全，它还能寄托很多人文情怀，让冷冰冰的高速公路变得活泼多彩起来。将防眩板设计成具有地方特色和特点的载体，这无疑会增加过往司乘人员的美感，让司乘人员能充分感受到各地独具地方特色文化的魅力。

The anti-glare board can not only block the glare of oncoming vehicles and ensure the safety of highway traffic at night, but also give a lot of humanistic feelings and make the cold highway vivid and colorful. The design of the anti-glare board has local characteristics and characteristics, which undoubtedly increases the aesthetic feeling of the passing drivers and passengers, so that the drivers and passengers can fully feel that they are overwhelmed by the unique local cultural charm.



规格specification: 900x220x3mm(反S形Inverse s-shape)
900x220x3mm(中空hollow)

名称: 塑料防眩板
型号: LLM-FXB-01

Name: Plastic anti-glare board
Model number: LLM-FXB-01



玻璃钢防眩板效果图

A rendering of FRP anti-glare board

- ▲ 永不褪色，样式美观
- ▲ 抗风效果好
- ▲ 防破坏强
- ▲ Never fade, beautiful style
- ▲ Good wind resistance
- ▲ Strong damage prevention

玻璃钢防眩板:玻璃钢片材在高温、高压下成型，断面结构成反S形状，抗风强度显著增强了，后来全国大部分玻璃钢防眩板都采用这种形式。结构的改变对于防眩板的截面，我国公路科技人员发明了一种“人”字形结构，这大大地增强了防眩板的抗风载效果。人字形结构最稳定、支撑面积最大，这种结构将防眩板中、下部一分为二，变“金鸡独立”为“双脚落地”，整个防眩板安装后与护栏形成为稳定的三角支撑结构。三角结构最稳定，再大的风都不怕了。

FRP anti-glare boards: FRP sheets are molded under high temperature and high pressure, and the cross-sectional structure is in an inverted S shape, which significantly enhances the wind resistance. Later, most of the FRP anti-glare boards in the country adopted this form. Changes in the structure for the section of the anti-glare board, Chinese highway scientists invented a "herringbone" structure, which greatly enhanced the anti-wind load effect of the anti-glare board. The herringbone structure is the most stable and has the largest supporting area. This structure divides the middle and lower parts of the anti-glare board into two, changing the "golden rooster independent" into "two feet landing". Formed into a stable triangular support structure. The triangular structure is the most stable, no matter how strong the wind is.



规格specification:
1100x210x4mm 1000x210x4mm
900x220x4mm 900x280x4mm
900x200x4mm 850x200x4mm
800x180x3mm 800x150x3mm
800x100x3mm

名称: 树叶形防眩板
型号: LLM-FXB-02

Name: Leaf-shaped anti-glare board
Model number: LLM-FXB-02



名称: PC塑料防眩板
型号: LLM-FXB-03

Name: PC plastic anti-glare board
Model number: LLM-FXB-03



名称: 塑料防眩板
型号: LLM-FXB-04

Name: Plastic anti-glare board
Model number: LLM-FXB-04




预应力活动护栏
Prestressed movable barrier

活动护栏是设置在中央分隔带开口处。为方便特种车辆（如交通事故处理车辆、急救车辆）在紧急情况下通行和一侧道路施工封闭时临时开启放行的活动设施。活动护栏在正常情况下要求具有一定的隔离性能和防护性能，在临时开放时应能快速、灵活地移动。

The movable guardrail is set at the opening of the central divider. In order to facilitate the passage of special vehicles (such as traffic accident handling vehicles and emergency vehicles) in emergency situations and when one side of the road is closed for construction, it is an active facility for temporary opening and release. The movable guardrail is required to have certain isolation performance and protection performance under normal conditions, and it should be able to move quickly and flexibly when it is temporarily opened.



伸缩活动护栏
Telescopic movable fence



预应力活动护栏
Prestressed movable barrier



伸缩活动护栏
Telescopic movable fence



预应力活动护栏
Prestressed movable barrier



性能评价标准

- 1、车体三方向最大加速度小于或等于20g；
- 2、护栏能够有效地阻挡车辆并对车辆进行导向，禁止车辆任何形式的穿越、翻越、骑跨、下穿护栏；
- 3、护栏应有良好的导向性能，车辆碰撞后的驶出角度应小于碰撞角度的60%；
- 4、碰撞后实验车辆应保持正常行驶姿态，不发生横转、掉头现象；
- 5、在碰撞过程中，脱离组件、碰撞碎片（护栏的碎片）或其他护栏上的碰撞物不能侵入驾驶室内及阻挡驾驶员的视线；
- 6、横向变形量参照中央分隔带护栏设置方式，规定不超过1.5米；
- 7、开启方便性：3位开启人员30分钟内开启；

Performance Evaluation Criteria

1. The maximum acceleration in three directions of the vehicle body is less than or equal to 20g;
2. Guardrails can effectively block vehicles and guide vehicles, prohibiting vehicles from crossing, overturning, straddling, or passing through guardrails in any form;
3. The guardrail should have good guiding performance, and the exit angle of the vehicle after collision should be less than 60% of the collision angle;
4. After the collision, the test vehicle should maintain a normal driving posture without turning or turning around;
5. During the collision, detached components, collision fragments (fragments of the guardrail) or other collision objects on the guardrail cannot invade the cab and block the driver's sight;
6. The amount of lateral deformation refers to the setting method of the guardrail of the central divider, and the regulation does not exceed 1.5 meters;
7. Opening convenience: 3 opening personnel can open within 30 minutes;



伸缩活动护栏
Telescopic movable fence



高速折叠护栏
High-speed folding guardrail



高速折叠护栏
High-speed folding guardrail



高速折叠护栏
High-speed folding guardrail



加油站防护柱
Gas station Protective Column

用在停车场，设施包含护角、减速带、标志标牌、智能道闸等，为了保障车辆安全行驶与停放的配备材料，通称为停车场设施。

Used in the parking lot, the facilities include corner guards, speed bumps, signs, intelligent lane gates, etc., in order to ensure the safety of vehicle driving and parking equipment, known as parking lot facilities.



名称：广角镜
型号：LLM-QMJ-01
Name: Wide Angle mirror
Model number: LLM-QMJ-01



名称：车轮锁应用实例
型号：LLM-QMJ-06
Name: Wheel lock
Model number: LLM-QMJ-06

高档岗亭
High-grade sentry box

反光镜

(又称广角镜、凸面镜、弯道镜、鱼眼睛(香港)、反射镜)

1) 规格:300—1200MM

2) 材料:

镜面材料:PC/亚克力/玻璃

镜背材料:玻璃钢/PE/三合板

3) 用途:扩大视野

Reflective Mirror

(also known as wide angle mirror, convex mirror, curved mirror, fish eyes (Hong Kong), reflector)

1) Specification: 300- 1200mm

2) Materials: Mirror material: PC/ acrylic/glass mirror back material: glass steel /PE/ plywood

3) Use: expand the horizon




名称: 遥控车位锁(带遥控, 蓄电池)
型号: LLM-CWS-1
材料: 优质钢材高温喷涂
适用: 停车场车位专用
Name: Remote control parking lock (with remote control and battery)
Model number: LLM-CWS-1
Material: High temperature coating of high quality steel
Application: Special use of parking space



名称: 遥控车位锁(带遥控, 蓄电池)
型号: LLM-CWS-2
材料: 优质钢材高温喷涂
适用: 停车场车位专用
Name: Remote control parking lock (with remote control and battery)
Model number: LLM-CWS-2
Material: High temperature coating of high quality steel



名称: 橡胶护角
型号: LLM-HQJ-01
Name: Rubber corner guard
Model number: LLM-HQJ-01



名称: 车轮定位器(优质)
型号: LLM-DWQ-01
材料: 优质橡胶
适用: 停车场车位
Name: Wheel Positioner (Premium)
Model number: LLM-DWQ-01
Material: High quality rubber
Applicable: Parking space




名称: 梯型减速坡(优质)
型号: LLM-JSD-01
材料: 优质橡胶
适用: 公路收费站、工业区、码头、花园小区
Name: Ladder type reduction slope (high quality)
Model number: LLM-JSD-01
Material: High quality rubber
Applicable: highway toll station, industrial zone, wharf, garden community



名称: 大圆弧减速坡(优质)
型号: LLM-JSD-02
材料: 优质橡胶
适用: 公路收费站、工业区、码头、花园小区
Name: Great Arc speed reduction slope (high quality)
Model number: LLM-JSD-02
Material: High quality rubber
Applicable: highway toll station, industrial zone, wharf, garden community



名称: 流线型减速坡
型号: LLM-JSD-03
材料: 橡胶
适用: 工业区、花园小区
Name: streamlined speed reduction slope
Model number: LLM-JSD-03
Material: Rubber
Application: industrial zone, garden community



名称: 圆型减速坡
型号: LLM-JSD-04
材料: 橡胶
适用: 机场、收费站口
Name: circular reduction slope
Model number: LLM-JSD-04
Material: Rubber
Application: Airport, toll Gate





名称: 防护桩 (固定)
规格: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
材料: 优质钢管、高压喷涂、
贴工程级反光膜
型号: LLM-HHZ-01
适用: 道路出入口
Name: Protective pile (fixed)
Specification: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
Material: high quality steel pipe,
high pressure spraying, Apply
engineering grade reflective film
Model number: LLM-HHZ-01
Applicable: Road entrances and exits



名称: 防护桩 (固定)
规格: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
材料: 优质钢管、高压喷涂、
贴工程级反光膜
型号: LLM-HHZ-02
适用: 道路出入口
Name: Protective pile (fixed)
Specification: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
Material: high quality steel pipe,
high pressure spraying, Apply
engineering grade reflective film
Model number: LLM-HHZ-02
Applicable: Road entrances and exits



名称: 防护桩 (固定)
规格: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
材料: 优质钢管、高压喷涂、
贴工程级反光膜
型号: LLM-HHZ-03
适用: 道路出入口
Name: Protective pile (fixed)
Specification: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
Material: high quality steel pipe,
high pressure spraying, Apply
engineering grade reflective film
Model number: LLM-HHZ-03
Applicable: Road entrances and exits



名称: 防护桩 (固定)
规格: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
材料: 优质钢管、高压喷涂、
贴工程级反光膜
型号: LLM-HHZ-04
适用: 道路出入口
Name: Protective pile (fixed)
Specification: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
Material: high quality steel pipe,
high pressure spraying, Apply
engineering grade reflective film
Model number: LLM-HHZ-04
Applicable: Road entrances and exits



名称: 防护桩 (固定)
规格: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
材料: 优质钢管、高压喷涂、
贴工程级反光膜
型号: LLM-HHZ-05
适用: 道路出入口
Name: Protective pile (fixed)
Specification: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
Material: high quality steel pipe,
high pressure spraying, Apply
engineering grade reflective film
Model number: LLM-HHZ-05
Applicable: Road entrances and exits



名称: 防护桩 (固定)
规格: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
材料: 优质钢管、高压喷涂、
贴工程级反光膜
型号: LLM-HHZ-06
适用: 道路出入口
Name: Protective pile (fixed)
Specification: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
Material: high quality steel pipe,
high pressure spraying, Apply
engineering grade reflective film
Model number: LLM-HHZ-06
Applicable: Road entrances and exits



名称: 防护桩 (固定)
规格: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
材料: 优质不锈钢管、
贴工程级反光膜
型号: LLM-HHZ-07
适用: 道路出入口
Name: Protective pile (fixed)
Specification: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
Material: High quality stainless
steel pipe, stick engineering
grade reflective film
Model number: LLM-HHZ-07
Applicable: Road entrances and exits



名称: 防护桩 (固定)
规格: $\phi 76 \times 600 \text{mm}$
 $\phi 89 \times 750 \text{mm}$
 $\phi 114 \times 1000 \text{mm}$
材料: 优质不锈钢管、
贴工程级反光膜
型号: LLM-HHZ-08
适用: 道路出入口
Name: Protective pile (fixed)
Specification: $\phi 133 \times 600 \text{mm}$
Material: High quality stainless
steel pipe, stick engineering
grade reflective film
Model number: LLM-HHZ-08
Applicable: Road entrances and
exits

