Ideal for Lighting Large Areas

Sectors StratoStar can be used in:

- 🗹 Rail
- Construction and hire
- Ø Military
- Sports
- **Ø** Highways
- Semergency and rescue

- ✓ Fast, safe, one person deployment

- 🧭 IP67 Rated



2 model available:

342	115,000 Lumens	
V	3850m ² beam	
\bigcirc	3 to 48hrs runtime	
MODE	High Medium Low Dimmable	
	18Ah	30Ah
	LifePO4 battery, 1540Wh	
•	8hrs charging time	
*****	IP67 IKO8	
ţ.,	Light head: 438 x 290mm	
Â	Batter pack: 18.3Kg	Batter pack: 23.8kg
	Light head: 12.7kg Tripod: 14.3kg	
CODE	NSSTRATOSTAR	NSSTRATOSTAR-X

Supplied with protective bags, battery pack, tripod and AC mains charger


Optional Accessories:

400mm Ground anchors: SPGROUNDANCHORS



Scan for multi-language information








New StratoStar 115,000 Lumens • Rechargeable Multi-Directional Tower Light







- Rechargeable or AC mains powered
- Adjustable runtime 3-48 hours


٠

- Light modes: High, medium, low and dimmable
- 360° lighting or adjusted to one direction
- 4m hand winch tripod with extendable tripod leg for use on uneven ground
- IP67 rated, robust, high-impact housing
- 1540Wh LifePO4 Phosphate battery
- LCD battery status indicators

StratoStar Key Features:



Robust aluminium + steel tripod with hand winch and safety locks





LCD programmable display: Light mode selection • Programme runtime up to 48 hours • Battery status by colour



COL ZERO

ZERO

ZERO

UFL C



Universal DIN spigot fitting (30mm DIN 14640)




uneven slopes



Reflective tripod legs for safety



Built-in cable wrap



Optional heavy duty ground anchors







