



STAINLESS STEEL HARDWIRED ROAD STUD
YOUR SAFETY EYES

SR-45

STAINLESS STEEL HARDWIRED ROAD STUD



KEY FEATURES

- Robust construction, suitable for harsh conditions
- Snow plough resistant
- High brightness day or night
- Possibility of integration with control traffic devices
- Suitable for applications in roads, tunnels, parks and airports
- Communication protocol
- Hardwired system for solar powered or electrical
- Low maintenance
- Operation Mode: Always on, Flashing, Sequential

SPECIFICATIONS:

ELECTRICAL

Power Supply: 12Vdc or 24Vdc

Current Consumption: 80mA

OPTICAL

LEDs Number: 8 LEDs - 5mm

LEDs Colour: Amber, Red, White, Blue, Green

LEDs Configuration: Uni-directional - possibility of using different LED colors in each window

MECHANICAL

Dimensions: Ø160.5mm x 100.5mm

Weight: 3kg

Projection: 5.5mm

Minimum Installation Depth: 100mm

Bottom Part Material: Aluminium

Top Material: Stainless Steel League

Mechanical Resistance: 120 Tons

Protection Index: IP68 and IK10

OTHER VERSIONS

SR-45A




- 100% Aluminium
- Mechanical strength of 30 Tons

SR-45R

- Possibility of rotation after installation + / - 20°

SR-45P

- Ultra brightness Road Stud with high power LEDs
- Up to 4 power LEDs (1W) with internal lens, providing a high light intensity
- Specially developed heat sink to increase LEDs lifetime



Dimensions: mm



Quinta do Carreiro, Lote 9/14 - Frossos
4700-154 Braga - Portugal
TEL.: +351 253 300 440 | FAX: +351 253 300 449
E-MAIL: sernis@sernis.com | SITE: www.sernis.com