

# GEBE®


INPUT/OUTPUT DEVICES

## GeBE-COMPACT Plus GeBE-COMPACT Plus Linerless GPT-467x-Series



[www.gebe.net](http://www.gebe.net)

Thermal Printers



# GeBE-COMPACT Plus | GeBE-COMPACT Plus Linerless

## GPT-467x-Series

### Kiosk Thermal Printer

## COMPACT EXPERT FOR OUTDOORS OR LINERLESS PAPERS

The GeBE-COMPACT Plus is a kiosk type printer for constricted room in switch boards and terminals. You want to print receipts, tickets or thin card stock with a paper width between 51 and 86 mm? This printer will handle it. Even up to 190 µm paper thickness. Linerless papers are printed and cut by the GeBE-COMPACT Plus Linerless printer nearly residue-free up to a thickness of 120 µm.

Regardless whether the printer is connected to the grid or independent, for instance in solar mode, the GeBE-COMPACT Plus with a voltage range of 10 to 26 V has a broad range for applications.

Paper can be presented either vertically, horizontally via drop compartment, or dispenser. The heavy duty mechanism features great durability when cutting thick paper in both full

or partial cut. Due to the stainless steel cutter your printer will remain corrosion free inside as outside. The print head is humidity resistant, the strong paper feed mechanism effortlessly pulls paper from rolls of up to 300 mm diameter. That represents a paper stock of about 1 km! Using our recommended paper, the printer operates absolutely reliable within a temperature range of



Extra big paper rolls extend the time between service intervals notably and reduce cost.



The GeBE-COMPACT Plus satisfies through high print speed and robust construction. Quick and suitable for outdoor applications.

-20 °C to +70 °C. The highspeed print at 250 mm/s avoids damages from impatient paper withdrawal.

An anti-paper-jam-unit prevents jamming, and a presenter protects against vandalism or incorrect operation. Upcoming service intervals are reported by extensive statistics with a near-paper-end- or a distance sensor to detect the paper roll diameter. You always keep the printer status

- Grid or solar powered
- Variable paper width
- Glue protection for printing linerless papers
- Space saving and variable design possibilities
- Cost effective integration
- Reliable outdoor use
- Service friendly paper handling options

under control. A convenient feature that you will never want to miss again.

Large fonts allow for nice texture printout. A print resolution of up to either 203 dpi or 300 dpi keeps every printout pin-sharp. Black-mark controls result in maximum precision.



200/300 dpi resolution



Form printing



Linerless



Auto loading



Easy Loading



Vandalism protection



Outdoor-suitable



Wide operating temperature range



12 V solar operation



Controller A8



Controller C32



The optional presenter protects from incorrect operation and handling.



The GeBE Linerless printers and cutters remain free of adhesive residues for an extra long time.



You can adjust papers up to a width of 86 mm and print tickets with a thickness of up to 190 µm transversely or lengthwise.

## About GeBE

### We listen

We will stay in permanent contact to come to a solution together. Reliability, fairness, trust, openness and integrity is the natural basis as to how we do business.

### Products, that evolve and improve

Small thermal printers and keyboards of various technologies compose our product focus. Our vast experience with OEM projects enables us to offer a flexible approach to your individual wishes and expectations. Your design – your firmware? We will make our products yours.

### All from one source

Sales, development, production, support. You will receive everything from one source, starting with your first inquiry all the way to serial production. We will manufacture in-house and certify per DIN EN ISO 9001, so you receive "Made in Germany" quality. Reliable, long-lasting and at fair terms.














### We expand our know-how

Since 1975 we have developed input and output devices including hardware and software. We constantly apply the newest state of technology and our vast knowledge, so we can accompany you through the development of your I/O application.

### You produce yourself?

Even if we do not assemble for you, we will still develop your device or product.

## Industry Leading Developments

2017	GeBE Linerless Technology for almost residue-free printing and cutting of linerless papers.	
2015	GeBE-PRINTER LAB® for testing hardware in thermal printing systems and thermal papers.	
2012	Intelligent HMI through use of GeBE-INDICO®-Designer GUI.	
2011	First mobile Bluetooth® printer for iPhone®, iPad® and iPod®.	
2004	First 4" panel printer as an alternative to standard DIN A4 desktop printers.	
2001	First panel printer fabricated without screws, with Easy Loading Technology.	
1997	Dot-matrix printer without fixated counter bearing for document printing.	
1994	Prescription printer with paper turn-over unit for two-sided printing. Basic technology for GeBE-MOTION®.	
1990	First battery powered printer for mobile use.	
1989	Cassette printer with dot-matrix technology and paper cutter for thick cards.	
1985	Plotter for labeling of small signs (serial terminals).	
1974	Rotate and swivle-mounting test adapter including bridges for testing purposes.	
1965	Instrument for measurement of hydrated layers in photographic film material.	

The GeBE Logo is a registered trade mark of GeBE Elektronik und Feinwerktechnik GmbH. All other brand names mentioned in this brochure are property of their respective companies. Any technical data is to be viewed as none binding data. It does not represent warranted device attributes. Subject to errors and changes.

Document version: 2.0 – Please ask for current document. Our terms and conditions apply.

© 2019 GeBE Elektronik und Feinwerktechnik GmbH. All rights reserved.

Image sources: GeBE Elektronik und Feinwerktechnik GmbH, dreamstime.com

GeBE Elektronik und Feinwerktechnik GmbH  
Beethovenstrasse 15  
82110 Germering  
Germany

Phone +49.89.894141-0  
Fax +49.89.894141-33  
Email [info@gebe.net](mailto:info@gebe.net)  
Web [www.gebe.net](http://www.gebe.net)