

ZheJiang BestSea Technology Co.LTD specialize in R&D, Production and Marketing of Plastic & Metal Materials in Cable Protector, Warehouse Safety, Crowd Control and Street Forniture Industry.

We have been developed over 200+ products that conform to MUTCD, ASTM, AS/NZS and CE Standard. We have implemented a Stringent quality control standard to ensure our customers in North America and Europe have quality products in this ever-changing Global Markets.

At Bestsea ,we work diligently developing new material compositions and products for application in more fields. During this process we carefully analyzes every step to ensure that our customers always to receive the best quality products. At Bestsea , quality is our number one commitment.

We are a company committed to building longterm partnerships with our customers all around the world. Our goal is to be your primary source for all kinds of Cable Protector, Warehouse Safety, Crowd Control and Street Forniture products.

BestSea







Rack Protector

Save Demages of Pallet Rack and Fork Truck!

Rack Protector is d







Rack Protector is designed to protect warehouse racks from damage by forklifts, pallet jacks and other equipment. Made of ballistics grade polymer materials with plastic blow molding. They are an innovative and highly effective solution for improving security for warehouse and distribution center.

- ◆ Easy installation & removal, can be stacked to the desired height;
- ◆ Safety yellow color provides excellent visual reference for drivers and other warehouse personnel;
- ◆ Prevent rack and shelving damage from forklifts and pallet trucks;
- ◆ Polyethylene construction is free of maintenance;
- ◆ Economically and practically improve the security.

MODEL NO	BS-NRB-1	BS-NRB-2	BS-NRB-3	BS-NRB-4	BS-NRB-5	BS-NRB-6
HEIGHT	450MM	450MM	450MM	450MM	450MM	450MM
WIDTH	135MM	135MM	160MM	160MM	170MM	170MM
OPENING WIDTH	76MM	83MM	90MM	102MM	120MM	140MM



Column Protector

Save Demages of Column and Fork Truck!











Column Protector is designed to guard against accidental damage that may occur during collisions with forklift trucks. The Protector will reduce the damage caused by impact loads. Especially for installations with fast moving products or heavy products upright protectors are essential for the safety and durability of the racking.

- ◆ Protector Column Dimension from 10CM 45CM;
- ◆ Safety yellow color provides excellent visual reference for drivers;
- ◆ Easy installation by velcro tape & removal;
- ◆ Prevent damage caused by impact loads;
- ◆ Economically and practically improve the security.



MODEL NO	BS-NRB-350 -100	BS-NRB-350 -150	BS-NRB-610 -200	BS-NRB-610 -250	BS-NRB-610 -300	BS-NRB-870 -400	BS-NRB-870 -450
HEIGHT	900MM						
OUTER DIAMETER	350MM	350MM	610MM	610MM	610MM	870MM	870MM
INNER SPACE	100MM	150MM	200MM	250MM	300MM	400MM	450MM



Plastic Wheel Chock

Innovative Design Light weight but Heavy Load Capacity!



Wheel Chocks are used for wedging and blocking tires to restrict movement of the wheel while vehicle is being loaded. They are well suited for trucks and other heavy equipment. Usually used as necessary precautionary measures to avoid potential personally injured.


- ◆ Lighter weight with tough urethane Filled construction;
- ◆ Maximum rated payload of 40 tons;

Theat lo increase Meight Capacity To Aorons

- ◆ Replaceable rubber anti-slip traction pads;
- ◆ Handle Design for Easy Carry.

MODEL NO	BS-PWC-1	BS-PWC-2	BS-PWC-3	BS-PWC-4	BS-PWC-5
LENGTH	210MM	290Mm	370MM	560MM	560MM
WIDTH	150MM	210MM	280MM	390MM	390MM
HEIGHT	115MM	170MM	230MM	260MM	280MM
WEIGHT	0.6Kg	1.6Kg	3.8Kg	4.5Kg	6.5Kg
APPLICATION	Car	Small Truck	Medium Truck	Medium Truck	Large Truck
LOAD CAPACITY	5 Tons	10Tons	20Tons	20Tons	40Tons

Beam Bumper Protect Pallet Rack Beams from Impacting!





Beam Bumper is designed to protect warehouse racks from damage by forklifts, pallet jacks and other equipment. Made of ballistics grade polymer materials with plastic blow molding. They are an innovative and highly effective solution for improving security for warehouse and distribution center.

MODEL NO	LENTH	WIDTH	HEIGHT	WEIGHT	APPLICATION
BS-NDB-1	900MM	100MM	100MM	1.2Kg	100Mm Width Beam
BS-NDB-2	900MM	150MM	150MM	2.0Kg	150Mm Width Beam
BS-NDB-3	900MM	200MM	200MM	3.5Kg	200Mm Width Beam

Extendable Wheel Riser

Innovative Design Light weight but Heavy Load Capacity;



- ◆ Lighter weight with tough urethane Filled construction;
- ◆ Maximum rated payload of 40 tons;
- ◆ Replaceable rubber anti-slip tr ction pads;
- ◆ Handle Design for Easy Carry;
- ◆ Extendable Length and Width for Single, Dual or Tandem Alex Trailer.

View Testing Video



MODEL NO	HEIGHT	LEVEL LENGTH	WIDTH	RAMP ANGLE
BS-WS-1	150MM	500 -2000MM	300 -600MM	22.5 Degree
BS-WS-2	200MM	500 -2000MM	300 -600MM	22.5 Degree
BS-WS-3	250MM	500 -2000MM	300 -600MM	22.5 Degree
BS-WS-4	300MM	500 -2000MM	300 -600MM	22.5 Degree

Rack Corner Protector

Protect the Pallet Rack in Trun Area.



◆ Safety yellow color provides excellent visual reference for drivers;

- ◆ Easy installation by velcro tape & removal;
- ◆ Economically and practically improve the security.

MODEL NO	BS-NCG-1
LENGTH	900MM
WIDTH	100MM
HEIGHT	100MM
WEIGHT	1.5KG

with forklift trucks in trunning Area.

View Testing Video







Upright Guard made of steel to reduce the damage of racking for the increased durability.

- ◆ Safety yellow color provides excellent visual reference for drivers and other warehouse personnel;
- Prevent rack and shelving damage from forklifts and pallet trucks.

MODEL NO	STYLE	HEIGHT	LENGTH	WIDTH	THICKNESS	WEIGHT
BS-NRUP-L-30	L-SHAPE	300MM	170MM	170MM	5MM	3.6KG
BS-NRUP-N-30	N-SHAPE	300MM	166MM	149MM	5MM	3.5KG



Pu Foam Impact Protection

Reducing risk of collision where machinery and people are!



of potential hazards.

◆ Safety yellow color provides excellent visual reference for workers;

- Foam profile protection that helps ◆ Easy installation by 3M self-adhesive tape;
- prevent impact damage and warns Suitable for temperatures between -40°C and +90°C;
 - 1Meter Standard Length but can be cut to length required using a sharp knif.

MODEL NO	BS-NPIP-1	BS-NPIP-2	BS-NPIP-3	BS-NPIP-4	BS-NPIP-5	BS-NPIP-6	BS-NPIP-5-E
LENGTH	1000MM	1000MM	1000MM	1000MM	1000MM	1000MM	100MM
HEIGHT	40MM	40MM	40MM	20MM	60MM	60MM	30MM
WIDTH	40MM	40MM	40MM	60MM	60MM	60MM	30MM
STYLE	Push Fit	Edge	Push Fit	Surface	Edge	Pipe	Edge Corner
DRAWING	+-20→ α 9	40 →	40 20	60	-10	8 50	70 29



Flexible Pvc Impact Protection

Saving Equipment Demages!






Flexible PVC Impact Protection is designed to prevent the impact, to be a warn of protruding corners, edges, vulnerable pipes and protects many other areas such as walls, vehicles, and machines.

- ◆ Safety yellow Stripes provides excellent visual reference;
- ◆ Easy installation by 3M self-adhesive tape;
- ◆ 1Meter Standard Length but can be cut to length required using a sharp knif;
- ◆ More Durable than PU foam style to ptovide extra protection for equipments.

MODEL NO	BS-PEIP-1	BS-PEIP-2	BS-PEIP-3	BS-PEIP-4	BS-PEIP-5	BS-PEIP-6	BS-PEIP-7
LENGTH	1000MM	1000MM	1000MM	1000MM	1000MM	1000MM	1000MM
HEIGHT	40MM	40MM	40MM	20MM	60MM	80MM	50MM
WIDTH	40MM	40MM	40MM	60MM	60MM	13.50MM	100MM
DRAWING	+ 20 → ∞ Q	40	40 20	60 120	60	85-67	50


Pu Buffer Bollard

Slow Speed and Absorb impacting!



PU Buffer Bollard are widely installed in a warehouse help to keep facility and workers safe. Replace the past Rigid Steel Bollard, Which will cause some damage to vehicles if hit it.

TOYOTA



◆ Absorbs proportion of impact force and flexes when hit from any angle;

• With the impact for Forklift truck hit, Reduce damage to forklift, can rebound after being hit.

MODEL NO	BOLLARD BODY	BASE WIDTH	HEIGHT
BS-MFCB-75-C1-B2	100MM DIA	200MM	750MM
BS-MFCB-90-C1-B2	100MM DIA	200MM	900MM
BS-MFCB-105-C1-B2	100MM DIA	200MM	1050MM



Pu Buffer Hoop Barrier Slow Speed and Absorb impacting!





PU Buffer Bollard are widely installed in a warehouse help to keep facility and workers safe. Replace the past Rigid Steel Tueb, Which will cause some damage to vehicles if hit it. Create fencing, barriers by using pipe connectors or flexible guard rail. No need to ever weld pipe again.


View Testing Video



- ◆ Safety yellow color provides excellent visual reference for drivers;
- Absorbs proportion of impact force and flexes when hit from any angle;
- ◆ With the impact for Forklift truck hit, Reduce damage to forklift, can Rebound after being hit.

MODEL NO	BOLLARD DIAMETER	TOTAL HEIGHT	OVER LENGTH
BS-MFCB-L-H85	100MM	850MM	900MM and More







Anti-slip Pattern

Handles For Easy Carry

Wheel chocks are a must-have for any loading dock environment, Wheel chocks can save lives in the event a trailer begins to roll or shift while loading or unloading. This molded rubber wheel chock is sloped to increase holding capacity by allowing truck tires to roll on the chock face. The chock comes with rubber handle for convenient carry.

- ◆ Rubber material resists tearing, abrasion, ozone weathering, anti-slip oil resistant.
- ◆ Solid Black Color, to endure dirty more easily.
- ♦ With grab handle Lightweight yet durable.
- ◆ Non-slip grooves grip the ground to hold your car steady. The stepped, fluted design of this
- ♦ heavy-duty, rubber Wheel Chock increases the downward pressure on the tire.
- ◆ Widely used in Roro ship, loading docks, fire trucks, hummers.

MODEL NO	LENGTH	WIDTH	HEIGHT	WEIGHT	COLOR
DH-WC-1	260MM	160MM	190MM	3.0kg	Black
DH-WC-2	210MM	250MM	220MM	6.5kg	Black
DH-WC-3	300MM	320MM	260MM	12kg	Black
DH-WC-4	200MM	100MM	156MM	2.3kg	Black
DH-WC-5	200MM	100MM	156MM	3.3kg	Black
DH-WC-6	307MM	200MM	205MM	9kg	Black

View Testing Video



Rubber Wheel Chock





Our Molded Dock Bumpers are manufactured from fiber reinforced prime rubber containing nylon and polyester. All of our molded bumpers have an impact recovery of 95% with a durometer reading of 80 plus or minus 5. This added strength ensures durability and longevity. The tensile strength of each molded dock bumper is 950-1505 psi. All of our models have pre-drilled, counter-sunk holes to accept anchor bolts.

- ◆ Appropriate for outdoor or indoor protection.
- ◆ For commercial loading docks, warehouses, parking garages, and marinas.
- ullet For vehicles such as tow trucks, trailers and heavy duty construction equipment.
- ♦ In-plant wall protection from forklifts and other material handling vehicles.
- ◆ Installs easily.
- Eliminates costly and unsightly damage to equipment, vehicles and structures.

MODEL NO	LENGTH	WIDTH	HEIGHT	WEIGHT	COLOR
DB-100	900MM	100MM	100MM	8.0kg	Black
DB-150	900MM	150MM	150MM	14kg	Black
DB-200	900MM	200MM	200MM	28kg	Black
DB-1310	330MM	250MM	102MM	8.0kg	Black
DB-1810	450MM	250MM	102MM	12kg	Black



View Testing Video



- ◆ Constructed of lightweight, durable polyurethane
- ◆ Ozone, fuel, and oil resistant
- ♦ Features a hole for securing in pairs by rope or chain, a molded-in handle, and a non-slip bottom
- ◆ Light weight makes it easy for workers to move
- ♦ High-visibility orange color makes it more likely to be seen and removed before driving off
- ◆ Put this wheel chock in place, and feel more secure when performing maintenance, loading, or emergency procedures

MODEL NO	LENGTH	WIDTH	HEIGHT	WEIGHT
DH-PUWC-1	200MM	174MM	155MM	1. 13kg
DH-PUWC-2	215MM	203. 2MM	200MM	2. 27kg
DH-PUWC-3	287MM	204MM	204MM	2. 7kg

Distributor:

BestSea

ZheJiang Bestsea Technology CO.,LTD

Factory: GaoJian Industry Zone, SanMen, ZheJiang 317102 China

Office: GuoHua Building #902, Ningbo CBD, 315199 Tel: +86-576-83118216 Fax: +86-576-83180836

Mail: Sales@BestseaTech.com Http://www.BestseaTech.com



Learn More